

851206881

Revision: 07.17.2024

Safety data sheet According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

1. Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier Trade name: EXTENDED LIFE ANTIFREEZE + COOLANT 50/50 Application of the substance / the preparation Lubricating Oils
- 1.2. Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Vextrom Corporation Made in USA
 1.3 Emergency telephone number:
- (CHEMTREC) 1-800-424-9300 tol free in the U.S. Canada and U.S Virgin Islands. 703-527-3887 – for calls originating elsewhere.

2 Hazards identification

2.1. Classification of the substance or mixture

- **Classification according to Regulation (EC) No 1272/2008** The product is not classified according to the CLP regulation.
- Classification according to Directive 67/548/EEC or Directive 1999/45/EC See Note L below. N/A
- Information concerning particular hazards for human and environment: The product does not have to be labeled due to the calculation procedure of the "General classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:** The classification is according to the latest editions of the EU-lists, and ex tended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

2.2 Label elements

- Labeling according to Regulation (EC) No 1272/2008 N/A
- Hazard pictograms N/A
- Signal word N/A
- Hazard statements N/A
- Hazard description:
- WHMIS-symbols: Not hazardous under WHMIS.
- HMIS Long Term Health Hazard Substances None of the ingredients is listed.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT : Not applicable.

Page 1/9

VPvB : Not applicable

3 Composition/ information on ingredients

3.1. Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 64742-54-7 EINECS: 265-157-1 Index number: 649-467-00-8	Distillates (petroleum), hydrotreated heavy paraffinic substance with a Community workplace exposure limit Carc. Cat. 2	62%
CAS: 64741-88-4 EINECS: 265-090-8 Index number: 649-454-00-7	Distillates (petroleum), solvent-refined heavy paraffinic Carc. Cat. 2	37%

Additional information:

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMS O extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and as phaltene free petroleum fractions - Dimethyl sulphoxi de extraction refractive index method', Institute of Petroleum, London. This product meets these requirements. For the wording of the listed risk phrases refer to section 16

4 First aid measures

4.1. Description of first aid measures

General information: No special measures required.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

After eye contact:

Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water. **Do not induce vomiting; call for medical help immediately.**

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

5. Firefighting measures

5.1. Extinguishing media

Suitable extinguishing agents: Carbon dioxide Water haze or fog Foam Fire-extinguishing powder

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Sulphur dioxide (SO2) Nitrogen oxides (NOx) Carbon monoxide (CO)

5.3 Advice for firefighters Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water. Prevent from spreading (e.g. by damming-in or oil barriers).

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles. Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7. Handling and storage

7.1 Precautions for safe handling Avoid the formation of oil haze.

- Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Store in cool, dry conditions in well-sealed receptacles.

7.3 Specific end use(s) No further relevant information available.

8. Exposure controls /personal protection

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic			
PEL (USA) TLV (USA)	5 mg/m ³ Short-term value: 10 mg/m ³ Long-term value: 5 mg/m ³		

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls
Personal protective equipment:
General protective and hygienic measures:
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
The usual precautionary measures are to be adhered to when handling chemicals.
Respiratory protection:
Not necessary if room is well-ventilated.
Use suitable respiratory protective device in case of insufficient ventilation.
Protection of hands:



Oil resistant gloves

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. **Eye protection:**



Goggles recommended during refilling

Body protection: Protective work clothing

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties General Information Appearance: Form: Oily Colour: Characteristic Odour threshold: Not determined. Ph-value: Not determined. Ph-value: Not determined. Change in condition Metting point/Metting range: Undetermined. Boiling point/Metting range: Undetermined. Flash point: 220° C (428°F) Flammability (solid, gaseous): Not applicable. Ignition temperature: Decomposition temperature: Not determined. Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Vapour pressure: Not determined. Vapour pressure: Not determined. Vapour pressure: Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity Index : 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content:	0.4 Information on basis abusis	I and showing I was atting			
Appearance: Oily Form: Oily Colour: Green coloured Odour: Characteristic Odour threshold: Not determined. Ph-value: Not determined. Change in condition Meting point/Meting range: Meting point/Boiling range: Undetermined. Flash point: 220° C (428°F) Flammability (solid, gaseous): Not applicable. Ignition temperature: Decomposition temperature: Decomposition temperature: Not determined. Danger of explosion: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Vapour pressure: Not determined. Vapour pressure: Not determined. Vapour density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Not determined. Vapour density Not determined. Vapour density Not determined. Vapour density Not determined. Vapour d		ii and chemical properties			
Form: Oily Colour: Green coloured Odour: Characteristic Odour threshold: Not determined. Ph-value: Not determined. Change in condition Metting point/Metting range: Undetermined. Boiling point/Boiling range: Undetermined. Edition Boiling point/Boiling range: Undetermined. Edition Flash point: 220° C (428°F) Flammability (solid, gaseous): Not applicable. Ignition temperature: Decomposition temperature: Not determined. Decomposition temperature: Not determined. Explosion hazard. Explosion limits: Lower: Not determined. Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined. Vapour density Not determined. Vapour density Not determined. Not determined. Not determined. Solubility in / Miscibility with water: Not determined. Not determined. Vapour density Not determined. Not determined. Not determined. Vapour density Not determined. Not determined. Not d					
Colour: Green coloured Characteristic Not determined. Ph-value: Not determined. Change in condition Metting point/Metting range: Undetermined. Boiling point/Metting range: Undetermined. Flash point: 220° C (428°F) Flammability (solid, gaseous): Not applicable. Ignition temperature: Decomposition temperature: Decomposition temperature: Not determined. Danger of explosion: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined. Vapour density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2.0 log POW (Estimate) Viscosity Index : Viscosity Index : 100 Kinematic at 40°C: 68 cSt (8.7 cSt @ 100°C) Solvent content: Solvent content:	••	Oily			
Odour: Characteristic Not determined. Ph-value: Not determined. Change in condition Melting point/Belling range: Boiling point/Bolling range: Undetermined. Boiling point/Bolling range: Undetermined. Flash point: 220° C (428°F) Flammability (solid, gaseous): Not applicable. Ignition temperature: Decomposition temperature: Decomposition temperature: Not determined. Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined. Vapour density Not determined. Vapour density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity Index : Viscosity Index : 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content: Solvent content:					
Odour threshold: Not determined. Ph-value: Not determined. Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined. Flash point: 220° C (428°F) Flammability (solid, gaseous): Not applicable. Ignition temperature: Decomposition temperature: Decomposition temperature: Not determined. Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined. Vapour pressure: Not determined. Vapour of ensity Not determined. Vapour of ensity Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity Index : Viscosity: 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content: Solvent content: Solvent contenter	Odour:				
Change in condition Metting point/Metting range: Undetermined. Boiling point/Boiling range: Undetermined. Flash point: 220° C (428°F) Flammability (solid, gaseous): Not applicable. Ignition temperature: Decomposition temperature: Decomposition temperature: Not determined. Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined. Vapour density Not determined. Vapour density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity: Viscosity Index : 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content: Solvent content:		Not determined.			
Change in condition Metting point/Metting range: Undetermined. Boiling point/Melting range: Undetermined. Flash point: 220° C (428°F) Flammability (solid, gaseous): Not applicable. Ignition temperature: Decomposition temperature: Decomposition temperature: Not determined. Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined. Vapour density Not determine					
Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined. Flash point: 220° C (428°F) Flammability (solid, gaseous): Not applicable. Ignition temperature: Decomposition temperature: Decomposition temperature: Not determined. Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Vapour pressure: Not determined. Density at 20°C: 0,87 g/cm3 Relative density Not determined. Vapour density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity index : 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content: 100°C)	Ph-value:	Not determined.			
Boiling point/Boiling range: Undetermined. Flash point: 220° C (428°F) Flammability (solid, gaseous): Not applicable. Ignition temperature: Decomposition temperature: Decomposition temperature: Not determined. Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined. Vapour density Not determined. Vapour density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity: Yiscosity: 68 cSt (8,7 cSt @ 100°C) Solvent content: Solvent content:	Change in condition				
Flash point: 220° C (428°F) Flammability (solid, gaseous): Not applicable. Ignition temperature: Decomposition temperature: Decomposition temperature: Not determined. Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined. Vapour pressure: Not determined. Vapour density Not determined. Vapour density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity: 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content:	Melting point/Melting range:	Undetermined.			
Flash point: 220° C (428°F) Flammability (solid, gaseous): Not applicable. Ignition temperature: Decomposition temperature: Decomposition temperature: Not determined. Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined. Vapour pressure: Not determined. Vapour density Not determined. Vapour density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity: 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content:	Boiling point/Boiling range:	Undetermined.			
Flammability (solid, gaseous): Not applicable. Ignition temperature: Decomposition temperature: Decomposition temperature: Not determined. Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Upper: Not determined. Vapour pressure: Not determined. Density at 20°C: 0,87 g/cm3 Relative density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity: 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content:	Flash point:				
Ignition temperature: Not determined. Decomposition temperature: Not determined. Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined. Density at 20°C: 0,87 g/cm3 Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity: 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content:	-				
Decomposition temperature: Not determined. Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined. Density at 20°C: 0,87 g/cm3 Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity: 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content:		Not applicable.			
Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined. Density at 20°C: 0,87 g/cm3 Relative density Not determined. Vapour density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity: Viscosity: 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content:	Ignition temperature:				
Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined. Density at 20°C: 0,87 g/cm3 Relative density Not determined. Vapour density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity Index : Viscosity Index : 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content:	Decomposition temperature:	Not determined.			
Explosion limits: Not determined. Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined. Density at 20°C: 0,87 g/cm3 Relative density Not determined. Vapour density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity: Viscosity index : 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content:	Self-igniting:	Product is not self-igniting.			
Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined. Density at 20°C: 0,87 g/cm3 Relative density Not determined. Vapour density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity index : Viscosity lindex : 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content:	Danger of explosion:	Product does not present an explosion hazard.			
Upper: Not determined. Vapour pressure: Not determined Density at 20°C: 0,87 g/cm3 Relative density Not determined. Vapour density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity: 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content:					
Vapour pressure: Not determined Density at 20°C: 0,87 g/cm3 Relative density Not determined. Vapour density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity Index : Viscosity Index : 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content:					
Density at 20°C: 0,87 g/cm3 Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity: Viscosity Index : 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content:	Upper:	Not determined.			
Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity: Viscosity Index : 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content:	Vapour pressure:	Not determined			
Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity Index : 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content:		0,87 g/cm3			
Evaporation rate Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity (Estimate) Viscosity index : 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content: Viscosity (Estimate)		Not determined.			
Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity Index : 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content:		Not determined.			
water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity Index : 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content:	Evaporation rate	Not determined.			
water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity Index : 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content:	• • • • • • • • • • • • • • • • • • •				
Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate) Viscosity: Viscosity Index : 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content:		Not miscible or difficult to mix			
Viscosity: Viscosity Index : 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content:	matol.				
Viscosity Index : 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content: 50 content:	Partition coefficient (n-octanol/water): > 2,0 log POW (Estimate)				
Viscosity Index : 100 Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content: 50 content:	Viscosity:				
Kinematic at 40°C: 68 cSt (8,7 cSt @ 100°C) Solvent content: 68 cSt (8,7 cSt @ 100°C)		100			
	Solvent content:				
Organic solvents: 0.0 %	Organic solvents:	0,0 %			
9.2 Other information No further relevant information available.	-				

10. Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions Reacts with strong oxidizing agents.

10.4 Conditions to avoid Store away from oxidizing agents.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide Possible in traces. Sulphur oxides (SOx) Nitrogen oxides (NOx)

11 Toxicological information

11.1 Information on toxicological effects

Acute toxicity: LD/LC50 values relevant for classification: Oral LD50 >2000 mg/kg (rat) Dermal LD50 >2000 mg/kg (rabbit) Primary irritant effect: On the skin: Slight irritant effect on skin and mucous membranes. On the eye: Slight irritant effect on eyes. Sensitization: Sensitizing effect by skin contact is possible by prolonged exposure. Additional toxicological information: The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version. When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

12.1 Toxicity

Aquatic toxicity: The material is harmful to the environment.

12.2 Persistence and degradability Not easily biodegradable

12.3 Bioaccumulative potential May be accumulated in organism

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Danger to drinking water if even small quantities leak into the ground. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects No further relevant information available.

13. Disposal considerations

13.1 Waste treatment methods Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be reused after reprocessing. Delivery of waste oil to officially authorized collectors only.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14. Transport information

· 14.1 UN-Number		
. DOT, ADN, IMDG, IATA	N/A	
 14.2 UN proper shipping name 		
DOT, ADR, ADN, IMDG, IATA	N1/ A	
DOT, ADR, ADN, IMDO, IATA	N/A	
. 14.3 Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
Class	N/A	
· 14.4 Packing group		
. DOT, ADR, IMDG, IATA		
DOT, ADR, IMDO, IATA	N/A	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
	NO	
 14.6 Special precautions for user 	Not applicable.	
. 14.7 Transport in bulk according to Annex	x II of	
MARPOL73/78 and the IBC Code		
WARFUL/3/10 and the IBC Code	Not applicable.	
· UN "Model Regulation":	-	

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA)

SARA

. Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

. Proposition 65 (California):

. Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

. Carcinogenic Categories

. EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

. Canada

. Canadian Domestic Substances List (DSL)		
All ingredients are listed.		
· Canadian Ingredient Disclosure list (limit 0.1%)		
None of the ingredients is listed.		

Canadian Ingredient Disclosure list (limit 1%) None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16. Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: Ac cord European sur le transport des marchandis es dangereus es par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code f or Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labeling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

THE INFORMATION IN THIS MATERIAL SAFETY DATA SHEET SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. VEXTROM CORPORATION BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION, BUT DOES NOT WARRANT OR GUARANTEE THEIR ACCURACY OR RELIABILITY. VEXTROM CORPORATION SHALL NOT BE LIABLE FOR ANY LOSS OR DAMAGE ARISING OUT OF THE USE THEREOF. THE INFORMATION AND RECOMMENDATIONS ARE OFFERED FOR THE USER CONSIDERATION AND EXAMINATION, AND IT IS THE USER RESPONSIBILITY TO SATISFY ITSELF THAT THEY ARE SUITABLE AND COMPLETE FOR ITS PARTICULAR USE.